INDEX TO AUTHORS

A

AFZELIUS, BJÖRN A. The occurrence and structure of microbodies. A comparative study, 835
AMES, ADELBERT, 3RD. See WEBSTER and AMES, 885
ANDERSON, JOHN WALBERG. See KORNGUTH and ANDERSON, 157
ANSLEY, HUDSON R. See BLACK and ANSLEY, 201, 797
ARONSON, JOHN F. The use of fluorescein-labeled heavy meromyosin for the cytological demonstration of actin, 293
ARRIGHI, FRANCES E. See HSU, ARRIGHI, KLEVECZ, and BRINKLEY, 539
ATLAS, M., and BOND, V. P. The cell generation cycle of the eleven-day mouse embryo, 19

B

BAUDHUIN, PIERRE, BEAUFAY, HENRI, and DE DUVE, CHRISTIAN. Combined biochemical and morphological study of particulate fractions from rat liver. Analysis of preparations enriched in lysosomes or in particles containing urate oxidase, D-amino acid oxidase, and catalase, 219
BEAUFAY, HENRI. See BAUDHUIN, BEAUFAY, and DE DUVE, 219
BENEDETTI, E. L., and EMMELOT, P. Electron microscopic observations on negatively stained plasma membranes isolated from rat liver, 299
BLACK, MAURICE M., and ANSLEY, HUDSON R. Antigen-induced changes in lymphoid cell histones. I. Thymus, 201
—, and —. —. II. Regional lymph nodes, 797
BOND, V. P. See ATLAS and BOND, 19
BOJADJIEVA-MIKHAILOVA, A. G. See HADJIOLOV, TENCHEVA, and BOJADJIEVA-MIKHAILOVA, 383
BOUCK, G. BENJAMIN. Fine structure and organelle associations in brown algae, 523
BRIGHTMAN, MILTON W. The distribution within the brain of ferritin injected into cerebrospinal fluid compartments. I. Ependymal distribution, 99
BRINKLEY, B. R. See HSU, ARRIGHI, KLEVECZ, and BRINKLEY, 539
BRZIN, MIRO, DETTBARN, WOLF-DIETRICH, ROSENBERG, PHILIP, and NACHMANSOHN, DAVID. Cholinesterase activity per unit surface area of conducting membranes, 353

C

CAMERON, IVAN L., and GUILE, E. ERNEST, JR. Nucleolar and biochemical changes during unbalanced growth of *Tetrahymena pyriformis*, 845
CARAMIA, FELICE. See MERLINI and CARAMIA, 245
CHANCE, B. See THORELL, CHANCE, and LEGALLAIS, 741
CHRISTENSEN, A. KENT. The fine structure of testicular interstitial cells in guinea pigs, 911
COLLINS, J. V. See LOCKE and COLLINS, 857
CONTI, S. F. See GANTT and CONTI, 365
COOK, JAMES E. See MONTGOMERY, COOK, and KARNEY, 959
CRANE, ROBERT K. See EICHHOLZ and CRANE, 687
—. See OVERTON, EICHHOLZ, and CRANE, 693

D

DE DUVE, CHRISTIAN. See BAUDHUIN, BEAUFAY, and DE DUVE, 219
DE PETRIS, S., and KARLSBAD, GIOANNA. Localization of antibodies by electron microscopy in developing antibody-producing cells, 759
DETTBARN, WOLF-DIETRICH. See BRZIN, DETTBARN, ROSENBERG, and NACHMANSOHN, 353
DIACUMAKOS, E. G., GARNJOBST, LAURA, and TATUM, E. L. A cytoplasmic character in *Neurospora crassa*. The role of nuclei and mitochondria, 427

E

EICHHOLZ, ALEXANDER, and CRANE, ROBERT K. Studies on the organization of the brush border in intestinal epithelial cells. I. Tris disruption of isolated hamster brush borders and density gradient separation of fractions, 687
—. See OVERTON, EICHHOLZ, and CRANE, 693
EMMELOT, P. See BENEDETTI and EMMELOT, 299
ERNSTER, L. See GUSTAFSSON, TATA, LINDBERG, and ERNSTER, 555

F

FARQUHAR, MARILYN G., and PALADE, GEORGE E. Cell junctions in amphibian skin, 263
FEDORKO, MARTHA E., and HIRSCH, JAMES G. Crystalloid structure in granules of guinea pig basophils and human mast cells, 973
FITZ-JAMES, PHILIP, and HANCOCK, RONALD. The initial structural lesion of penicillin action in *Bacillus megaterium*, 657

G

GALLIK, G. J. See WOLKEN and GALLIK, 968
GANTT, E., and CONTI, S. F. The ultrastructure of *Porphyridium cruentum*, 365
GARNJOBST, LAURA, WILSON, J. F., and TATUM, E. L. Studies on a cytoplasmic character in *Neurospora crassa*, 413

GARNJOBST, LAURA. See DIACUMAKOS, GARNJOBST, and TATUM, 427
GIACOMELLI, FILIBERTO, WIENER, JOSEPH, and SPIRO, DAVID. Cytological alterations related to stimulation of the zona glomerulosa of the adrenal gland, 499
GIBBONS, I. R. An effect of adenosine triphosphate on the light scattered by suspensions of cilia, 707
GIBBS, SARAH P., SISTROM, W. R., and WORDEN, PATRICIA B. The photosynthetic apparatus of *Rhodospirillum molischianum*, 395
GIMÉNEZ-MARTÍN, G., GONZÁLEZ-FERNÁNDEZ, A., and LÓPEZ-SÁEZ, J. F. A new method of labeling cells, 305
GONZÁLEZ-FERNÁNDEZ, A. See GIMÉNEZ-MARTÍN, GONZÁLEZ-FERNÁNDEZ, and LÓPEZ-SÁEZ, 305
GRANICK, S., and LEVERE, RICHARD D. The intracellular localization of heme by a fluorescence technique, 167
GREENSPAN, FRANCIS S., and HARGADINE, JUDY R. The intracellular localization of pituitary thyrotropic hormone, 177
GUILE, E. ERNEST, JR. See CAMERON and GUILE, 845
GUSTAFSSON, R., TATA, J. R., LINDBERG, O., and ERNSTER, L. The relationship between the structure and activity of rat skeletal muscle mitochondria after thyroidectomy and thyroid hormone treatment, 555

H

HADJIOLOV, A. A., TENCHEVA, Z. S., and BOJADJIEVA-MIKHAILOVA, A. G. Isolation and some characteristics of cell nuclei from brain cortex of adult cat, 383
HANCOCK, RONALD. See FITZ-JAMES and HANCOCK, 657
HARGADINE, JUDY R. See GREENSPAN and HARGADINE, 177
HAYDON, GLEN B., and TAYLOR, D. ALICE. Microtubules in hamster platelets, 673
HESS, ARTHUR. The sarcoplasmic reticulum, the T system, and the motor terminals of slow and twitch muscle fibers in the garter snake, 467
HICKS, R. M. The fine structure of the transitional epithelium of rat ureter, 25
HIRSCH, JAMES G. See FEDORKO and HIRSCH, 973
HOLT, S. J. See LEDUC and HOLT, 137
HOYLE, GRAHAM, MCALEAR, JAMES H., and SELVERSTON, ALLEN. Mechanism of supercontraction in a striated muscle, 621
HSU, T. C., ARRIGHI, FRANCES E., KLEVECZ, ROBERT R., and BRINKLEY, B. R. The nucleoli in mitotic divisions of mammalian cells *in vitro*, 539

K

KARASAKI, SHUICHI. Electron microscopic examination of the sites of nuclear RNA synthesis during amphibian embryogenesis, 937
KARLSBAD, GIOANNA. See DE PETRIS and KARLSBAD, 759
KARNEY, DAVID. See MONTGOMERY, COOK, and KARNEY, 959
KEEFE, J. R. See SAMORAJSKI, ORDY, and KEEFE, 779
KLEVECZ, ROBERT R. See HSU, ARRIGHI, KLEVECZ, and BRINKLEY, 539
KORNGUTH, STEVEN EDWARD, and ANDERSON, JOHN WALBERG. Localization of a basic protein in the myelin of various species with the aid of fluorescence and electron microscopy, 157
KUHN, NOBUKO O., and OLIVIER, MARGARET L. Ultrastructure of the hepatic sinusoid of the goat *Capra hircus*, 977

L

LAFONTAINE, J. G. A light and electron microscope study of small, spherical nuclear bodies in meristematic cells of *Allium cepa*, *Vicia faba*, and *Raphanus sativus*, 1
LEDUC, ELIZABETH H., and HOLT, S. J. Hydroxypropyl methacrylate, a new water-miscible embedding medium for electron microscopy, 137
LEGALLAIS, V. See THORELL, CHANCE, and LEGALLAIS, 741
LEVERE, RICHARD D. See GRANICK and LEVERE, 167
LINDBERG, O. See GUSTAFSSON, TATA, LINDBERG, and ERNSTER, 555
LOCKE, M., and COLLINS, J. V. The structure and formation of protein granules in the fat body of an insect, 857
LÓPEZ-SÁEZ, J. F. See GIMÉNEZ-MARTÍN, GONZÁLEZ-FERNÁNDEZ, and LÓPEZ-SÁEZ, 305

M

MCALEAR, JAMES H. See HOYLE, MCALEAR, and SELVERSTON, 621
MERLINI, DINO, and CARAMIA, FELICE. Effect of dehydroascorbic acid on the islets of Langerhans of the rat pancreas, 245
MOMMAERTS, W. F. H. M. See SERAYDARIAN and MOMMAERTS, 641
MONTGOMERY, P. O'B., COOK, JAMES E., and KARNEY, DAVID. Ultraviolet microbeam irradiation in living cell membranes, 959
MUNGER, BRYCE L. The intraepidermal innervation of the snout skin of the opossum. A light and electron microscope study, with observations on the nature of Merkel's *Tastzellen*, 79
MURRAY, ASSIA S. See MURRAY, MURRAY, and PIZZO, 601
MURRAY, RAYMOND G., MURRAY, ASSIA S., and PIZZO, ANTHONY. The fine structure of mitosis in rat thymic lymphocytes, 601

N

NACHMANSOHN, DAVID. See BRZIN, DETTBARN, ROSENBERG, and NACHMANSOHN, 353
NICHOLS, GEORGE, JR. See WOODS and NICHOLS, 747
NOBEL, PARK S. See PACKER, SIEGENTHALER, and NOBEL, 593

O

OLIVIER, MARGARET L. See KUHN and OLIVIER, 977
ORDY, J. M. See SAMORAJSKI, ORDY, and KEEFE, 779

ORRENIUS, STEN. Further studies on the induction of the drug-hydroxylating enzyme system of liver microsomes, 725
—. On the mechanism of drug hydroxylation in rat liver microsomes, 713
OVERTON, JANE, EICHHOLZ, ALEXANDER, and CRANE, ROBERT K. Studies on the organization of the brush border in intestinal epithelial cells. II. Fine structure of fractions of Tris-disrupted hamster brush borders, 693

P

PACKER, LESTER, SIEGENTHALER, PAUL-ANDRÉ, and NOBEL, PARK S. Light-induced volume changes in spinach chloroplasts, 593
PAGE, SALLY G. A comparison of the fine structures of frog slow and twitch muscle fibers, 477
PALADE, GEORGE E. See FARQUHAR and PALADE, 263
PHILLIPS, DAVID M. An ordered filamentous component in *Sciara* (Diptera) salivary gland cell nuclei, 677
PICK, JOSEPH. The fine structure of sympathetic neurons in x-irradiated frogs, 335
PIZZO, ANTHONY. See MURRAY, MURRAY, and PIZZO, 601

R

RAMSEY, HELEN J. Fine structure of the surface of the cerebral cortex of human brain, 323
RASMUSSEN, GRANT L. See SMITH and RASMUSSEN, 63
REEDY, MICHAEL K. Section staining for electron microscopy: incompatibility of methyl nadic anhydride with permanganates, 309
ROSENBERG, PHILIP. See BRZIN, DETTBARN, ROSENBERG, and NACHMANSOHN, 353
ROSENBLUTH, JACK. Ultrastructure of somatic muscle cells in *Ascaris lumbricoides*. II. Intermuscular junctions, neuromuscular junctions, and glycogen stores, 579

S

SAMORAJSKI, T., ORDY, J. M., and KEEFE, J. R. The fine structure of lipofuscin age pigment in the nervous system of aged mice, 779
SATIR, PETER. Studies on cilia. II. Examination of the distal region of the ciliary shaft and the role of the filaments in motility, 805
SELVERSTON, ALLEN. See HOYLE, MCALEAR, and SELVERSTON, 621
SERAYDARIAN, K., and MOMMAERTS, W. F. H. M. Density gradient separation of sarcotubular vesicles and other particulate constituents of rabbit muscle, 641
SIEGENTHALER, PAUL-ANDRÉ. See PACKER, SIEGENTHALER, and NOBEL, 593
SILVER, M. D. See STEHBENS and SILVER, 669
SISTROM, W. R. See GIBBS, SISTROM, and WORDEN, 395
SMITH, CATHERINE A., and RASMUSSEN, GRANT L. Degeneration in the efferent nerve endings in the cochlea after axonal section, 63
SMITH, DAVID S., and TREHERNE, J. E. The electron microscopic localization of cholinesterase activity in the central nervous system of an insect, *Periplaneta americana* L., 445
SMITH, DAVID S. See SMITH and SMITH, 961
SMITH, UNA, and SMITH, DAVID S. A microtubular complex in the epidermal nucleus of an insect, *Carausius morosus*, 961
SPARROW, A. H. See VAN'T HOF and SPARROW, 187
SPIRO, DAVID. See GIACOMELLI, WIENER, and SPIRO, 499
SREBRO, ZBIGNIEW. The ultrastructure of gliosomes in the brains of amphibia, 313
STAY, BARBARA. Protein uptake in the oocytes of the cecropia moth, 49
STEHBENS, W. E., and SILVER, M. D. Unusual development of basement membrane about small blood vessels, 669

T

TATA, J. R. See GUSTAFSSON, TATA, LINDBERG, and ERNSTER, 555
TATUM, E. L. See DIACUMAKOS, GARNJOBST, and TATUM, 427
—. See GARNJOBST, WILSON, and TATUM, 413
TAYLOR, D. ALICE. See HAYDON and TAYLOR, 673
TENCHEVA, Z. S. See HADJIOLOV, TENCHEVA, and BOJADJIEVA-MIKHAILOVA, 383
THORELL, B., CHANCE, B., and LEGALLAIS, V. Microspectrophotometry of cytochromes in the single cell at room and liquid nitrogen temperatures, 741
TOOZE, J. An investigation by electron microscopy of the nucleoside phosphatase activity of amphibian and mammalian erythrocytes, 209
TREHERNE, J. E. See SMITH and TREHERNE, 445
TROSKO, JAMES E., and WOLFF, SHELDON. Strandedness of *Vicia faba* chromosomes as revealed by enzyme digestion studies, 125

V

VAN'T HOF, JACK, and SPARROW, A. H. Radiation effects on the growth rate and cell population kinetics of actively growing and dormant roots of *Tradescantia paludosa*, 187

W

WEBSTER, HENRY DEF., and AMES, ADELBERT, 3RD. Reversible and irreversible changes in the fine structure of nervous tissue during oxygen and glucose deprivation, 885
WEISS, LEONARD. Studies on cell deformability. I. Effect of surface charge, 735
WIENER, JOSEPH. See GIACOMELLI, WIENER, and SPIRO, 499
WILSON, J. F. See GARNJOBST, WILSON, and TATUM, 413
WOLFF, SHELDON. See TROSKO and WOLFF, 125
WOLKEN, J. J., and GALLIK, G. J. The compound eye of a crustacean, *Leptodora kindtii*, 968
WOODS, JOHN F., and NICHOLS, GEORGE, JR. Collagenolytic activity in rat bone cells. Characteristics and intracellular location, 747
WORDEN, PATRICIA B. See GIBBS, SISTROM, and WORDEN, 395

INDEX TO SUBJECTS

A

Actin, in myofibrils of striated muscle, of various species, localization of with fluorescein-labeled heavy meromyosin, by fluorescence microscopy, 293

Adenosine triphosphate, effect of on light scattered by suspensions of isolated cilia of *Tetrahymena*, decreased turbidity interpreted as specific interaction with axonemal proteins resulting in increased hydration related to motility processes, biochemical and spectrophotometric study, 707

Adrenal gland, of rat, cytological alterations of zona glomerulosa after stimulation by sodium restriction, relation to steroid biosynthesis, light and EM study, 499

Alga (red), *Porphyridium cruentum*, ultrastructure of, 365

Algae (brown: *Fucus*, *Chorda*, *Giffordia*), fine structure and organelle associations in, structural interrelationships among several membrane systems, EM study, 523

Amphibia, *Xenopus laevis* and *Rana esculenta*, ultrastructure of gliosomes in glial fibers and their meningeal end-feet, in brain of, EM study, 313

Amphibians (frog, toad, salamander), cell junctions in epidermis of skin, relation to permeability and diffusion, EM study, 263

Antibiotic, penicillin, initial structural lesion of action of in *Bacillus megaterium*, changes in fine structure in media with and without osmotic stabilization, EM study, 657

Antibodies in developing plasma cells, localization of, in rabbit lymph nodes, by technique of ferritin-antiferritin precipitation, EM study, 759

Axons, of lobster and squid, cholinesterase activity determined per unit surface area of conducting membranes, measured with microgasometric technique using magnetic diver, 353

B

Bacteriochlorophyll content and amount of chromatophore material isolated from cell-free extracts, in photosynthetic apparatus of *Rhodospirillum molischianum*, comparison of with EM appearance of chromatophores in cells, of cultures with different bacteriochlorophyll contents, biochemical and EM study, 395

Bacterium, *Bacillus megaterium*, initial structural lesion of penicillin action, changes in fine structure in media without and with osmotic stabilization, EM study, 657

—, *Rhodospirillum molischianum*, photosynthetic apparatus of, comparison of EM appearance of chromatophores in cells and amount and bacteriochlorophyll content of chromatophore material isolated from cell-free extracts, of cultures with different bacteriochlorophyll contents, biochemical and EM study, 395

Barnacle, *Balanus nubilus*, mechanism of supercontraction in striated muscle (scutal depressor) of, combined phase-contrast and EM study, 621

Basement membrane, about thin-walled small blood vessels, unusual thickness of in tongue and interdigital webs, of frog *Hyla*, EM study, 669

Basophils (guinea pig) and mast cells (human), crystalloid structure in cytoplasmic granules of, EM study, 973

Blood vessels, small and thin-walled, unusual thickness of basement membrane about, in tongue and interdigital webs, of frog *Hyla*, EM study, 669

Bone cells, of rat, characteristics and intracellular location (lysosome-like particles?) of collagenolytic activity in, improved methods for preparing C^{14}-labeled collagen without denaturation and for quantitative assay, biochemical study, 747

Brain cortex, of cat, isolation of and morphological and chemical characteristics of nuclei of neuronal and glial cells, biochemical and microscope study, 383

—, of amphibia, ultrastructure of gliosomes in glial fibers and their meningeal end-feet, EM study, 313

—, of human, fine structure of surface of cerebral cortex, EM study, 323

—, of rat, ependymal distribution of ferritin injected into cerebrospinal fluid compartments (ventricles), EM study, 99

Brush border, of hamster intestinal epithelial cells, fine structure of fractions of Tris-disrupted isolated borders, identification of two fractions as microvillus cores and their membranous coats, correlation with distribution of enzyme activity, EM study, 693

— border, of hamster intestinal epithelial cells, Tris disruption of isolated borders and density gradient separation of fractions, biochemical study, 687

C

Caffeine, use of for inhibiting cytokinesis, in root meristem of *Allium cepa*, new method of labeling cells, for experimental synchronization of divisions, light microscope study, 305

Cat, brain cortex, isolation of and morphological and chemical characteristics of nuclei of neuronal and glial cells, biochemical and microscope study, 383

Cell deformability, effect of surface charge on, in Sarcoma 37 and Ehrlich ascites tumor cells, studied by measuring pressure required for suction of cell bulges and by electrophoretic mobility, 735
— generation cycle, of primitive ependymal and mesenchymal cells and erythroblasts, of eleven-day mouse embryo, radioautographic study, 19
— junctions, in skin epidermis, of amphibians (frog, toad, salamander), relation to permeability and diffusion, EM study, 263
—, liver (Chang), reaction of living cell membrane to ultraviolet microbeam irradiation, 959
— population kinetics and growth rate, of actively growing and dormant roots of *Tradescantia paludosa*, x-radiation effects on, studied by Feulgen technique and radioautography, 187
— structure, effect of antibiotics on, initial structural lesion of penicillin action, in *Bacillus megaterium*, changes in fine structure in media with and without osmotic stabilization, EM study, 657
Cells, bone, of rat, characteristics and intracellular location (lysosome-like particles?) of collagenolytic activity in, improved methods for preparing C^{14}-labeled collagen without denaturation and for quantitative assay, biochemical study, 747
—, mammalian, *in vitro*, persistence of nucleoli in mitotic divisions, studied by radioautography and cytochemical stains and EM, 539
—, Merkel's *Tastzellen*, intraepidermal innervation of opossum snout skin, light and EM study, 79
—, of liver of various species, comparative study of occurrence and structure of microbodies in, correlation between uricase and inclusion in microbody, EM study, 835
—, root meristematic, of *Allium cepa*, new method of labeling of by caffeine inhibition of cytokinesis, for use in experimental synchronization of divisions, light microscope study, 305
—, root meristematic, of plants (*Allium*, *Vicia*, *Raphanus*), small spherical nuclear bodies in, light and EM study, 1
—, Sarcoma 37 and Ehrlich ascites tumor, effect of surface charge on deformability of surface membranes of, studied by measuring pressure required for suction of cell bulges and by electrophoretic mobility, 735
—, single, microspectrophotometry of cytochromes in at room and liquid nitrogen temperatures, method for increasing sensitivity of microspectroscope, 741
—, testicular interstitial, in guinea pig, fine structure of, relation between abundant agranular endoplasmic reticulum and androgen biosynthesis, EM study, 911
Cellular localization of heme and hemoproteins, by means of new technique with fluorescence microscopy, 167
— localization of thyrotropic hormone, in guinea pig and dog, by indirect technique using bovine thyroid-stimulating hormone antiserum and fluorescein-labeled anti-rabbit globulin, studied with fluorescence microscopy, 177
Cerebral cortex, of human brain, fine structure of surface of, EM study, 323
Character, cytoplasmic, analysis of determination of, in *Neurospora crassa*, isolation of morphologically distinctive strains and crosses with normal strain, biochemical genetic study, 413
—, cytoplasmic, in *Neurospora crassa*, role of nuclei and mitochondria, transmission by mitochondria, biochemical genetic study, 427
Chinchilla, cochlea, degeneration of efferent nerve endings in, after transection of olivo-cochlear bundle, EM study, 63
Chloroplast, presence of granules on double-membraned lamellae of, and mitochondria, in red alga *Porphyridium cruentum*, EM study, 365
— and pyrenoid, in brown algae (*Fucus*, *Chorda*, *Giffordia*), fine structure and organelle associations, structural interrelationships among several membrane systems, EM study, 523
Chloroplasts, isolated, of spinach, light-induced volume changes in, factors in osmotic mechanisms controlling volume, studied by optical and gravimetric methods and electronic particle counter, 593
Cholinesterase activity, in axons of squid and lobster, determined per unit surface area of conducting membranes, measured with microgasometric technique using magnetic diver, 353
— activity, localization of in central nervous system of cockroach *Periplaneta americana*, EM cytochemical study, 445
Chromatophores, in photosynthetic apparatus of *Rhodospirillum molischianum*, comparison of EM appearance of in cells and amount and bacteriochlorophyll content of chromatophore material isolated from cell-free extracts, of cultures with different bacteriochlorophyll contents, biochemical and EM study, 395
Chromosomes, mitotic, strandedness of as revealed by enzyme digestion, in nuclei and chromosomes isolated from root tips of *Vicia faba*, light microscope study, 125
Cilia, isolated from *Tetrahymena*, effect of ATP on light scattered by suspensions of, decreased turbidity interpreted as specific interaction with axonemal proteins resulting in increased hydration related to motility processes, biochemical and spectrophotometric study, 707
—, of gill of mussel *Elliptio complanatus*, structure of distal region of shaft of, role of filaments in motility, EM study, 805
Cochlea, degeneration of efferent nerve endings in, after transection of olivo-cochlear bundle, in chinchilla, EM study, 63
Collagenolytic activity, in rat bone cells, characteristics and intracellular location (lysosome-like particles?) of, improved methods for preparing C^{14}-labeled collagen without denaturation and for quantitative assay, biochemical study, 747
Contraction, mechanism of in striated muscle (scutal depressor) of barnacle *Balanus*, combined phase-contrast and EM study, 621
Cortex, cerebral, of human brain, fine structure of surface of, EM study, 323

Cortex, of cat brain, isolation of and morphological and chemical characteristics of nuclei of neuronal and glial cells, biochemical and microscope study, 383
Crustacean, *Leptodora kindtii*, structure of ommatidia of compound eye of, EM study, 968
Crystalloid structure of cytoplasmic granules, in basophils (guinea pig) and mast cells (human), EM study, 973
Cytochemistry, ultrastructural, study of new water-miscible embedding medium (hydroxypropyl methacrylate) for electron microscopy and, 137
Cytochromes, in single cells, microspectrophotometry of at room and liquid nitrogen temperatures, method for increasing sensitivity of microspectroscope, 741
Cytoplasmic character, in *Neurospora crassa*, analysis of determination of, isolation of morphologically distinctive strains and crosses with normal strain, biochemical genetic study, 413
— character, in *Neurospora crassa*, role of nuclei and mitochondria, transmission by mitochondria, biochemical genetic study, 427

D

Dog and guinea pig, intracellular localization of thyrotropic hormone by indirect technique using bovine thyroid-stimulating hormone antiserum and fluorescein-labeled anti-rabbit globulin, studied with fluorescence microscopy, 177

E

Ear (inner), of chinchilla, degeneration of efferent nerve endings in cochlea, after transection of olivocochlear bundle, EM study, 63
Electron microscopy, embedding for, study of new water-miscible medium (hydroxypropyl methacrylate), 137
— microscopy, staining of sections for, incompatibility of methyl nadic anhydride hardener (in Epon) and permanganate stain, 309
Embedding for electron microscopy, study of new water-miscible medium (hydroxypropyl methacrylate), 137
Embryonic cells, primitive ependymal and mesenchymal, and erythroblasts, of eleven-day mouse embryo, cell generation cycle of, radioautographic study, 19
— tissue, isolated ectodermal and mesodermal, of salamander *Triturus*, sites of nuclear RNA synthesis, EM radioautographic study, 937
Endoplasmic reticulum, agranular, in testicular interstitial cells, in guinea pig, relation to androgen biosynthesis, EM study, 911
Enzyme activity, in brush border of intestinal epithelial cells, of hamster, correlation with fine structure of two fractions of Tris-disrupted isolated borders identified as microvillus cores and their membranous coats, EM study, 693
— activity, in brush border of intestinal epithelial cells, of hamster, distribution of in fractions of Tris-disrupted isolated borders, biochemical study, 687
—, cholinesterase, in axons of squid and lobster, activity determined per unit surface area of conducting membranes, measured with microgasometric technique using magnetic diver, 353
Enzyme, cholinesterase, localization of activity in central nervous system of cockroach *Periplaneta americana*, EM cytochemical study, 445
—, nucleoside phosphatase, activity in amphibian and mammalian erythrocytes, EM cytochemical study, 209
— system, microsomal drug-hydroxylating, in rat liver, induction of by phenobarbital and other agents, distribution of enzymes between rough and smooth subfractions and production of various phospholipids, biochemical study, 725
— system, microsomal drug-hydroxylating, mechanism of activity of in rat liver, from phenobarbital-treated and normal animals, using oxidative demethylation of aminopyrine as assay, biochemical study, 713
Enzymes, urate oxidase and D-amino acid oxidase and catalase, particles containing, or lysosomes, analysis of preparations enriched in, of particulate fractions from rat liver, combined biochemical and morphological study, 219
Ependymal distribution of ferritin injected into cerebrospinal fluid compartments (ventricles), of rat brain, EM study, 99
Epidermal cells, of insect *Carausius morosus*, microtubular complex (of hexagonal symmetry) in nuclei of, EM study, 961
Epithelial cells, of hamster intestine, fine structure of fractions of Tris-disrupted isolated brush borders of, identification of two fractions as microvillus cores and their membranous coats, correlation with distribution of enzyme activity, EM study, 693
— cells, of hamster intestine, Tris disruption of isolated brush borders and density gradient separation of fractions, biochemical study, 687
Epithelium, ependymal, distribution in of ferritin injected into cerebrospinal fluid compartments (ventricles), of rat brain, EM study, 99
—, transitional, of rat ureter, EM and cytochemical study, 25
Erythrocytes, amphibian and mammalian, nucleoside phosphatase activity of, EM cytochemical study, 209
Eye, compound, of crustacean *Leptodora kindtii*, structure of ommatidia of, EM study, 968

F

Fat body, of butterfly *Calpodes ethlius*, structure and formation of protein granules in, light and EM study, 857
Fibers, giant striated muscle (scutal depressor), of barnacle *Balanus*, mechanism of supercontraction in, combined phase-contrast and EM study, 621
—, muscle, slow and twitch, in frog *Rana temporaria*, comparison of fine structures of, EM study, 477
—, muscle, slow and twitch, in garter snake, fine structure of sarcoplasmic reticulum and T system and motor terminals in, EM study, 467
Fibrils, of striated muscle, in various species, use of

fluorescein-labeled heavy meromyosin for localization of actin in, by fluorescence microscopy, 293
Filamentous component, ordered, in nuclei of salivary gland cells, of larva and prepupa of insect *Sciara coprophila*, EM study, 677
Filaments, in cilia of gill of mussel *Elliptio complanatus*, role of in motility, structure of distal region of ciliary shaft, EM study, 805
Fluorescence microscopy, new technique for intracellular localization of heme and hemoproteins, 167
Frog, *Hyla caerulea*, unusual thickness of basement membrane about thin-walled small blood vessels, in tongue and interdigital webs, EM study, 669
—, *Rana pipiens*, effects of whole-body x-irradiation on fine structure of sympathetic neurons, EM study, 335
—, *Rana temporaria*, comparison of fine structures of slow and twitch muscle fibers, EM study, 477
Fungus, *Neurospora crassa*, cytoplasmic character in, role of nuclei and mitochondria, transmission by mitochondria, biochemical genetic study, 427
—, *Neurospora crassa*, isolation of morphologically distinctive strains and crosses with normal strain, analysis of character determined by cytoplasmic factors, biochemical genetic study, 413

G

Gill, cilia of in mussel *Elliptio complanatus*, structure of distal region of ciliary shaft, role of filaments in motility, EM study, 805
Glial fibers and their meningeal end-feet, in amphibian brain, ultrastructure of gliosomes in, EM study, 313
Gliosomes, in glial fibers and their meningeal end-feet, in amphibian brain, ultrastructure of, EM study, 313
Glucose and oxygen deprivation, in rabbit retina, reversible and irreversible changes in fine structure during, EM study, 885
Glycogen stores, and intermuscular and neuromuscular junctions, ultrastructure of somatic muscle cells, of *Ascaris*, EM study, 579
Goat, liver, structure of sinusoid of, evidence of basement membrane surrounding sinusoidal blood vessels and of discontinuous endothelial lining, light and EM study, 977
Guinea pig and dog, intracellular localization of thyrotropic hormone by indirect technique using bovine thyroid-stimulating hormone antiserum and fluorescein-labeled anti-rabbit globulin, studied with fluorescence microscopy, 177
— pig, testis, fine structure of interstitial cells of, relation between abundant agranular endoplasmic reticulum and androgen biosynthesis, EM study, 911

H

Hamster, golden, microtubules in platelets of, EM study, 673
—, intestinal epithelial cells, fine structure of fractions of Tris-disrupted isolated brush borders of, identification of two fractions as microvillus cores and their membranous coats, correlation with distribution of enzyme activity, EM study, 693
Hamster, intestinal epithelial cells, Tris disruption of isolated brush borders and density gradient separation of fractions, biochemical study, 687
Heme and hemoproteins, intracellular localization of, by means of new technique with fluorescence microscopy, 167
Histones, nuclear, of lymphocytes in mouse regional lymph nodes, antigen (tetanus-toxoid)–induced changes in, microspectrophotometric analysis, 797
—, nuclear, of mouse thymocytes, antigen (tetanus-toxoid)–induced changes in, microspectrophotometric analysis, 201
Human, brain, fine structure of surface of cerebral cortex, EM study, 323

I

Immunochemistry, antigen (tetanus-toxoid)–induced changes in nuclear histones of lymphocytes in mouse regional lymph nodes, microspectrophotometric analysis, 797
—, antigen (tetanus-toxoid)–induced changes in nuclear histones of mouse thymocytes, microspectrophotometric analysis, 201
—, intracellular localization of thyrotropic hormone, in guinea pig and dog, by indirect technique using bovine thyroid-stimulating hormone antiserum and fluorescein-labeled anti-rabbit globulin, studied with fluorescence microscopy, 177
—, localization of antibodies in developing plasma cells, of rabbit lymph nodes, by technique of ferritin-antiferritin precipitation, EM study, 759
—, localization of basic protein in myelin of central and peripheral nervous tissues, of various species, using antibodies labeled with fluorescein or ferritin, with aid of fluorescence and electron microscopy, 157
Insect, butterfly *Calpodes ethlius*, structure and formation of protein granules in fat body of, light and EM study, 857
—, *Carausius morosus*, microtubular complex (of hexagonal symmetry) in nuclei of epidermal cells of, EM study, 961
—, cecropia moth, blood protein uptake by pupal oocytes of, correlation between pinocytosis and yolk formation, EM study with ferritin marker, 49
—, cockroach *Periplaneta americana*, localization of cholinesterase activity in central nervous system of, EM cytochemical study, 445
—, *Sciara coprophila*, larva and prepupa, ordered filamentous component in nuclei in salivary gland cells, EM study, 677
Intestinal epithelial cells, of hamster, fine structure of fractions of Tris-disrupted isolated brush borders of, identification of two fractions as microvillus cores and their membranous coats, correlation with distribution of enzyme activity, EM study, 693
— epithelial cells, of hamster, Tris disruption of iso-

lated brush borders and density gradient separation of fractions, biochemical study, 687
Islets of Langerhans, of rat pancreas, effect of dehydroascorbic acid on, EM study, 245

J

Junctions, cellular, in skin epidermis of amphibians (frog, toad, salamander), relation to permeability and diffusion, EM study, 263
—, intermuscular and neuromuscular, and glycogen stores, ultrastructure of somatic muscle cells, of *Ascaris*, EM study, 579

L

Lipofuscin age pigment, in neurons in dorsal ganglia and spinal cord, of mouse, fine structure of, EM study, 779
Liver cell (Chang), reaction of living cell membrane to ultraviolet microbeam irradiation, 959
— cells, of various species, comparative study of occurrence and structure of microbodies in, correlation between uricase and inclusion in microbody, EM study, 835
—, of goat, structure of sinusoid of, evidence of basement membrane surrounding sinusoidal blood vessels and of discontinuous endothelial lining, light and EM study, 977
—, of rat, induction of drug-hydroxylating enzyme system in microsomes, by phenobarbital and other agents, distribution of enzymes between microsomal rough and smooth subfractions and production of various phospholipids, biochemical study, 725
—, of rat, mechanism of activity of drug-hydroxylating enzyme system in microsomes, from phenobarbital-treated and normal animals, using oxidative demethylation of aminopyrine as assay, biochemical study, 713
—, of rat, structure of plasma membranes isolated from, EM study of negatively stained preparations, 299
—, particulate fractions, of rat, analysis of preparations enriched in lysosomes or in particles containing urate oxidase and D-amino acid oxidase and catalase, combined biochemical and morphological study, 219
Lobster and squid, axons, cholinesterase activity determined per unit surface area of conducting membranes, measured with microgasometric technique using magnetic diver, 353
Lymph nodes, of rabbit, localization of antibodies in developing plasma cells, by technique of ferritin-antiferritin precipitation, EM study, 759
— nodes, regional, of mouse, antigen (tetanus-toxoid)-induced changes in nuclear histones of lymphocytes, microspectrophotometric analysis, 797
Lymphocytes, thymic, of rat, fine structure of mitosis in, EM study, 601
Lysosomes, or particles containing urate oxidase and D-amino acid oxidase and catalase, analysis of preparations enriched in, combined biochemical and morphological study of particulate fractions of rat liver, 219

M

Mammalian cell strains *in vitro*, persistence of nucleoli in mitotic divisions, studied by radioautography and cytochemical staining and EM, 539
Mast cells (human) and basophils (guinea pig), crystalloid structure in cytoplasmic granules of, EM study, 973
Membrane permeability barrier, of transitional epithelium of rat ureter, EM and cytochemical study, 25
— systems, in brown algae (*Fucus*, *Chorda*, and *Giffordia*), structural interrelationships among, fine structure and organelle associations, EM study, 523
Membranes, cell surface, effect of surface charge on deformability of, studied by measuring pressure required for suction of cell bulges and by electrophoretic mobility, in Sarcoma 37 and Ehrlich ascites tumor cells, 735
Microbodies, in liver cells of various species, comparative study of occurrence and structure of, correlation between uricase and inclusion in microbody, EM study, 835
Microsomal drug-hydroxylating enzyme system, in rat liver, induction of by phenobarbital and other agents, distribution of enzymes between rough and smooth subfractions and production of various phospholipids, biochemical study, 725
— drug-hydroxylating enzyme system, mechanism of activity of in rat liver, from phenobarbital-treated and normal animals, using oxidative demethylation of aminopyrine as assay, biochemical study, 713
Microspectrophotometry, at room and liquid nitrogen temperatures, of cytochromes in single cells, method for increasing sensitivity of microspectroscope, 741
Microtubular complex (of hexagonal symmetry), in nuclei of epidermal cells of insect *Carausius morosus*, EM study, 961
Microtubules, in platelets of golden hamster, EM study, 673
Mitochondria, formation of cytolysome from aggregations enclosed in isolation membranes, structure and formation of protein granules, in fat body of butterfly *Calpodes ethlius*, light and EM study, 857
—, of rat skeletal muscle, relationship between structure and activity of after thyroidectomy and thyroid hormone treatment, EM study, 555
—, and presence of granules on double-membraned lamellae of chloroplast, in red alga *Porphyridium cruentum*, EM study, 365
—, transmission of cytoplasmic character by, in *Neurospora crassa*, role of nuclei and, biochemical and genetic study, 427
Mitosis, in thymic lymphocytes, of rat, fine structure of, EM study, 601
Mitotic divisions, in mammalian cells *in vitro*, persistence of nucleoli during, studied by radioautography and cytochemical stains and EM, 539
Mouse, dorsal ganglia and spinal cord, fine structure

of lipofuscin age pigment in neurons of, EM study, 779
Mouse, embryo (eleven-day), cell generation cycle of primitive ependymal and mesenchymal cells and erythroblasts, radioautographic study, 19
—, regional lymph nodes, antigen (tetanus toxoid)–induced changes in nuclear histones of lymphocytes, microspectrophotometric analysis, 797
—, thymus, antigen (tetanus-toxoid)–induced changes in nuclear histones of thymocytes, microspectrophotometric analysis, 201
Muscle cells, somatic, of *Ascaris*, ultrastructure of, intermuscular and neuromuscular junctions and glycogen stores, EM study, 579
— fibers, slow and twitch, of frog *Rana temporaria*, comparison of fine structures of, EM study, 477
— fibers, slow and twitch, of garter snake, fine structure of sarcoplasmic reticulum and T system and motor terminals in, EM study, 467
—, skeletal, of rat, relationship between structure and activity of mitochondria after thyroidectomy and thyroid hormone treatment, EM study, 555
—, striated, of rabbit, density gradient separation of sarcotubular vesicles and other particulate constituents of, chemical and morphological characterizations of fractions, biochemical and EM study, 641
—, striated, of various species, use of fluorescein-labeled heavy meromyosin for localization of actin in myofibrils, by fluorescence microscopy, 293
—, striated (scutal depressor), of barnacle *Balanus*, mechanism of supercontraction in, combined phase-contrast and EM study, 621
Mussel, *Elliptio complanatus*, structure of distal region of shaft of gill cilia, role of filaments in motility, EM study, 805
Myelin, in central and peripheral nervous tissues, of various species, localization of basic protein in, using antibodies labeled with fluorescein or ferritin, immunochemical study with aid of fluorescence and electron microscopy, 157

N

Nerve endings (efferent), in cochlea, degeneration of after transection of olivo-cochlear bundle, in chinchilla, EM study, 63
Nervous system, central, of cockroach *Periplaneta americana*, localization of cholinesterase activity in, EM cytochemical study, 445
— system, dorsal ganglia and spinal cord, of mouse, fine structure of lipofuscin age pigment in neurons of, EM study, 779
— tissue (retina), of rabbit, reversible and irreversible changes in fine structure of during oxygen and glucose deprivation, EM study, 885
— tissues, central and peripheral, of various species, localization of basic protein in myelin of, using antibodies labeled with fluorescein or ferritin, immunochemical study with aid of fluorescence and electron microscopy, 157
Neurites, in snout skin, of opossum, intraepidermal innervation, nature of Merkel's *Tastzellen*, light and EM study, 79
Neurons, in dorsal ganglia and spinal cord, of mouse, fine structure of lipofuscin age pigment in, EM study, 779
—, sympathetic, of frog *Rana pipiens*, effects of whole-body x-irradiation on fine structure of, EM study, 335
Nuclear bodies, small and spherical, in root meristematic cells of plants (*Allium*, *Vicia*, *Raphanus*), light and EM study, 1
— histones, antigen (tetanus-toxoid)–induced changes in of lymphocytes in mouse regional lymph nodes, microspectrophotometric analysis, 797
— histones, antigen (tetanus toxoid)–induced changes in of mouse thymocytes, microspectrophotometric analysis, 201
— RNA synthesis, sites of during early embryogenesis of salamander *Triturus*, in isolated ectodermal and mesodermal tissues, EM radioautographic study, 937
Nuclei, of epidermal cells of insect *Carausius morosus*, microtubular complex (of hexagonal symmetry) in, EM study, 961
—, of neuronal and glial cells, of cat brain cortex, isolation of and morphological and chemical characteristics of, biochemical and microscope study, 383
—, of salivary gland cells, of larva and prepupa of insect *Sciara coprophila*, ordered filamentous component in, EM study, 677
Nucleoli, in mammalian cells *in vitro*, persistence of in mitotic divisions, studied by radioautography and cytochemical stains and EM, 539
—, of *Tetrahymena*, morphological changes in and their correlation with course of metabolism of DNA and RNA and protein, biochemical and phase-contrast and EM study, 845
Nucleoside phosphatase activity, of amphibian and mammalian erythrocytes, EM cytochemical study, 209

O

Ommatidia, of compound eye of crustacean *Leptodora kindtii*, structure of, EM study, 968
Oocytes, pupal, of cecropia moth, blood protein uptake by, correlation between pinocytosis and yolk formation, EM study with ferritin marker, 49
Opossum, snout skin, intraepidermal innervation of, nature of Merkel's *Tastzellen*, light and EM study, 79
Organelle associations, in brown algae (*Fucus*, *Chorda*, *Giffordia*), structural interrelationships among several membrane systems, EM study, 523
Osmotic mechanisms controlling volume of isolated chloroplasts, of spinach, light-induced volume changes, studied by optical and gravimetric methods and electronic particle counter, 593
Oxygen and glucose deprivation, in rabbit retina, reversible and irreversible changes in fine structure during, EM study, 885

P

Pancreas, of rat, effect of dehydroascorbic acid on islets of Langerhans of, EM study, 245
Particles containing urate oxidase and D-amino acid oxidase and catalase, or lysosomes, analysis of preparations enriched in, of particulate fractions from rat liver, combined biochemical and morphological study, 219
Particulate constituents and sarcotubular vesicles, density gradient separation of from rabbit striated muscle, chemical and morphological characterizations of fractions, biochemical and EM study, 641
Penicillin action, initial structural lesion of in *Bacillus megaterium*, changes in fine structure in media with and without osmotic stabilization, EM study, 657
Permanganate staining of sections, for electron microscopy, incompatibility with methyl nadic anhydride hardener (in Epon), 309
Photosynthetic apparatus, of *Rhodospirillum molischianum*, comparison of EM appearance of chromatophores in cells and amount and bacteriochlorophyll content of chromatophore material isolated from cell-free extracts, of cultures with different bacteriochlorophyll contents, biochemical and EM study, 395
Plant, *Allium cepa*, root meristem, new method of labeling cells by caffeine inhibition of cytokinesis, for use in experimental synchronization of divisions, light microscope study, 305
—, spinach, light-induced volume changes in isolated chloroplasts of, factors in osmotic mechanisms controlling volume, studied by optical and gravimetric methods and electronic particle counter, 593
—, *Tradescantia paludosa*, x-radiation effects on growth rate and cell population kinetics of actively growing and dormant roots of, studied by Feulgen technique and radioautography, 187
—, *Vicia faba*, strandedness of mitotic chromosomes as revealed by enzyme digestion, in nuclei and chromosomes isolated from root tips, light microscope study, 125
Plants (*Allium*, *Vicia*, *Raphanus*), small spherical nuclear bodies in root meristematic cells, light and EM study, 1
Plasma cells, developing, localization of antibodies in of rabbit lymph nodes, by technique of ferritin-antiferritin precipitation, EM study, 759
— membrane, living, of liver cell (Chang), reaction of to ultraviolet microbeam irradiation, 959
— membrane of amphibian and mammalian erythrocytes, nucleoside phosphatase activity on, EM cytochemical study, 209
— membranes, isolated from rat liver, structure of, EM study of negatively stained preparations, 299
Platelets, microtubules in of golden hamster, EM study, 673
Protein, basic, in myelin of central and peripheral nervous tissues, of various species, localization of using antibodies labeled with fluorescein or ferritin, immunochemical study with aid of fluorescence and electron microscopy, 157
Protein (blood) uptake, by pupal oocytes of cecropia-moth, correlation between pinocytosis and yolk formation, EM study with ferritin marker, 49
— granules, in fat body of butterfly *Calpodes ethlius*, structure and formation of, light and EM study, 857
— and RNA metabolism, correlation of course of with morphological changes in nucleoli, of *Tetrahymena*, biochemical and phase-contrast and EM study, 845
Protozoan, *Tetrahymena pyriformis*, effect of ATP on light scattered by suspensions of isolated cilia, decreased turbidity interpreted as specific interaction with axonemal proteins resulting in increased hydration related to motility processes, biochemical and spectrophotometric study, 707
—, *Tetrahymena pyriformis*, morphological changes in nucleoli and their correlation with course of metabolism of DNA and RNA and protein, biochemical and phase-contrast and EM study, 845

R

Rabbit, lymph nodes, localization of antibodies in developing plasma cells, by technique of ferritin-antiferritin precipitation, EM study, 759
—, retina, reversible and irreversible changes in fine structure of during oxygen and glucose deprivation, EM study, 885
—, striated muscle, density gradient separation of sarcotubular vesicles and other particulate constituents of, chemical and morphological characterizations of fractions, biochemical and EM study, 641
Radioactive label, P_i^{32}, incorporation into microsomal phospholipid, induction of drug-hydroxylating enzyme system, in rat liver microsomes, by phenobarbital and other agents, biochemical study, 713
—label, proline-U-C^{14}, in collagen, biochemical study of characteristics and intracellular location (lysosome-like particles?) of collagenolytic activity, in rat bone cells, improved methods for labeling collagen without denaturation and for quantitative assay, 747
— label, thymidine-H^3, cell generation cycle of primitive ependymal and mesenchymal cells and erythroblasts, of eleven-day mouse embryo, radioautographic study, 19
— label, thymidine-H^3, x-radiation effects on growth rate and cell population kinetics of actively growing and dormant roots of *Tradescantia paludosa*, studied by Feulgen technique and radioautography, 187
— label, uridine-H^3, sites of nuclear RNA synthesis during early embryogenesis of salamander *Triturus*, in isolated ectodermal and mesodermal tissues, EM radioautographic study, 937
— label, uridine-H^3, study of persistence of nucleoli in mitotic divisions of mammalian cell strains *in vitro*, radioautographic study, 539
— labels, uridine-H^3, thymidine-H^3, leucine-H^3, in measurement of synthesis of RNA and DNA and protein, correlation with morphological changes

in nucleoli, of *Tetrahymena*, radioautographic study, 845
Rat, adrenal gland, cytological alterations of zona glomerulosa after stimulation by sodium restriction, relation to steroid biosynthesis, light and EM study, 499
—, bone cells, characteristics and intracellular location (lysosome-like particles?) of collagenolytic activity in, improved methods for preparing C^{14}-labeled collagen without denaturation and for quantitative assay, biochemical study, 747
—, brain, ependymal distribution of ferritin injected into cerebrospinal fluid compartments (ventricles), EM study, 99
—, liver, induction of drug-hydroxylating enzyme system in microsomes, by phenobarbital and other agents, distribution of enzymes between microsomal rough and smooth subfractions and production of various phospholipids, biochemical study, 725
— liver, mechanism of activity of drug-hydroxylating enzyme system in microsomes, from phenobarbital-treated and normal animals, using oxidative demethylation of aminopyrine as assay, biochemical study, 713
—, liver, particulate fractions of, analysis of preparations enriched in lysosomes or in particles containing urate oxidase and D-amino acid oxidase and catalase, combined biochemical and morphological study, 219
—, liver, structure of plasma membranes isolated from, EM study of negatively stained preparations, 299
—, pancreas, effect of dehydroascorbic acid on islets of Langerhans of, EM study, 245
—, skeletal muscle, relationship between structure and activity of mitochondria after thyroidectomy and thyroid hormone treatment, EM study, 555
—, thymus, fine structure of mitosis in lymphocytes of, EM study, 601
—, tissues of, study of new water-miscible embedding medium (hydroxypropyl methacrylate) for electron microscopy, 137
—, ureter, fine structure of transitional epithelium of, EM and cytochemical study, 25
Retina, of rabbit, reversible and irreversible changes in fine structure of during oxygen and glucose deprivation, EM study, 885
RNA and protein metabolism, correlation of course of with morphological changes in nucleoli, of *Tetrahymena*, biochemical and phase-contrast and EM study, 845
— synthesis, nuclear, sites of during early embryogenesis of salamander *Triturus*, in isolated ectodermal and mesodermal tissues, EM radioautographic study, 937
Root meristem, of *Allium cepa*, new method of labeling cells by caffeine inhibition of cytokinesis, for use in experimental synchronization of divisions, light microscope study, 305
— meristematic cells, of plants (*Allium*, *Vicia*, *Raphanus*), small spherical nuclear bodies in, light and EM study, 1
Root tips, of *Vicia faba*, strandedness of mitotic chromosomes as revealed by enzyme digestion, in isolated nuclei and chromosomes, light microscope study, 125
Roots, actively growing and dormant, of *Tradescantia paludosa*, x-radiation effects on growth rate and cell population kinetics of, studied by Feulgen technique and radioautography, 187

S

Salamander, *Triturus pyrrhogaster*, sites of nuclear RNA synthesis during early embryogenesis, in isolated ectodermal and mesodermal tissues, EM radioautographic study, 937
Salivary gland cells, ordered filamentous component in nuclei of, in larva and prepupa of insect *Sciara coprophila*, EM study, 677
Sarcomeres, of fibrils of striated muscle, of various species, use of fluorescein-labeled heavy meromyosin for localization of actin, by fluorescence microscopy, 293
Sarcoplasmic reticulum, organization of, comparison of fine structures of slow and twitch muscle fibers, in frog *Rana temporaria*, EM study, 477
— reticulum and T system and motor terminals, in slow and twitch muscle fibers, of garter snake, EM study, 467
Sarcotubular vesicles and other particulate constituents, density gradient separation of from rabbit striated muscle, chemical and morphological characterizations of fractions, biochemical and EM study, 641
Sinusoid, of goat liver, structure of, evidence of basement membrane surrounding sinusoidal blood vessels and of discontinuous endothelial lining, light and EM study, 977
Skin epidermis, of amphibians (frog, toad, salamander), cell junctions in, relation to permeability and diffusion, EM study, 263
—, snout, of opossum, intraepidermal innervation of, nature of Merkel's *Tastzellen*, light and EM study, 79
Snake, garter, slow and twitch muscle fibers, fine structure of sarcoplasmic reticulum and T system and motor terminals in, EM study, 467
Sodium restriction, cytological alterations of zona glomerulosa after, in rat adrenal gland, relation to steroid biosynthesis, light and EM study, 499
Squid and lobster, axons, cholinesterase activity determined per unit surface area of conducting membranes, measured with microgasometric technique using magnetic diver, 353
Staining of sections for electron microscopy, incompatibility of methyl nadic anhydride hardener (in Epon) and permanganate stain, 309
Strandedness of mitotic chromosomes, as revealed by enzyme digestion, in nuclei and chromosomes isolated from root tips of *Vicia faba*, light microscope study, 125
Surface charge, effect of on deformability of surface membranes of cells, studied by measuring pressure required for suction of cell bulges and by electrophoretic mobility, in Sarcoma 37 and Ehrlich ascites tumor cells, 735

Sympathetic neurons, of frog *Rana pipiens*, effects of whole-body x-irradiation on, EM study, 335

T

Testicular interstitial cells, in guinea pig, fine structure of, relation between abundant agranular endoplasmic reticulum and androgen biosynthesis, EM study, 911

Thymus, of mouse, antigen (tetanus-toxoid)–induced changes in nuclear histones of thymocytes, microspectrophotometric analysis, 201

—, of rat, fine structure of mitosis in lymphocytes of, EM study, 601

Thyroid hormone treatment and thyroidectomy, in rat, relationship between structure and activity of skeletal muscle mitochondria after, EM study, 555

Thyrotropic hormone, intracellular localization of in guinea pig and dog, by indirect technique using bovine thyroid-stimulating hormone antiserum and fluorescein-labeled anti-rabbit globulin, studied with fluorescence microscopy, 177

Transverse tubular system and sarcoplasmic reticulum, in slow and twitch muscle fibers, of frog *Rana temporaria*, comparative EM study, 477

T system and sarcoplasmic reticulum and motor terminals, in slow and twitch muscle fibers, of garter snake, EM study, 467

Turbidimetry, in study of ciliary fractions, from *Tetrahymena*, effect of ATP on light scattered by suspensions of cilia, decreased turbidity interpreted as specific interaction with axonemal proteins resulting in increased hydration related to motility processes, biochemical and spectrophotometric study, 707

U

Ultraviolet microbeam irradiation, reaction to of living cell membrane of liver cell (Chang), 959

Ureter, transitional epithelium of in rat, EM and cytochemical study, 25

Uricase, in liver cells of various species, comparative study of occurrence and structure of microbodies, correlation with inclusion in microbody, EM study, 835

V

Volume changes, light-induced, of isolated chloroplasts, of spinach, factors in osmotic mechanisms controlling, studied by optical and gravimetric methods and electronic particle counter, 593

W

Worm, *Ascaris lumbricoides*, ultrastructure of somatic muscle cells, intermuscular and neuromuscular junctions and glycogen stores, EM study, 579

X

X-Irradiation, whole-body, effects of on fine structure of sympathetic neurons, of frog *Rana pipiens*, EM study, 335

X-Radiation effects, on growth rate and cell population kinetics, of actively growing and dormant roots of *Tradescantia paludosa*, studied by Feulgen technique and radioautography, 187

Y

Yolk formation, correlation with pinocytosis, blood protein uptake by pupal oocytes of cecropia moth, EM study with ferritin marker, 49

Z

Zona glomerulosa, of rat adrenal gland, cytological alterations after stimulation by sodium restriction, relation to steroid biosynthesis, light and EM study, 499